

### SECTION 1: IDENTIFICATION

**Product Trade Name:** Odor-Cide  
**Name and/or Family or Description:** Perfumed compound Water Soluble  
**Chemical Formula:** N.A.  
**N.A.S. No.:** None  
**DOT Proper Shipping Name:** Chemicals Not Otherwise Indexed (NOI) Non-Hazardous  
**DOT Hazard Class:** Not Regulated  
**DOT Label:** None.

**Date:** 06-07-13

### SECTION 2: COMPONENTS (Hazardous & Other)

Chemical	CAS NO.	PERCENTAGE
Isopropyl Alcohol	[67-63-0]	< 10%
Propylene Glycol	57-55-6	< 4%

*THE IDENTITY OF THE REMAINING INDIVIDUAL COMPONENTS OF THIS PRODUCT ARE PROPRIETARY INFORMATION AND IS CONSIDERED A TRADE SECRET PURSUANT TO 29 CFR 1910.1200 (see Section i - Federal register Vol. 48 No. 228 Nov 25, 1983 Rules and regulations).*

### SECTION 3: PHYSICAL DATA

**State:** Liquid  
**Appearance:** Clear Liquid  
**Odor:** Fresh Clean Scent  
**Boiling Point:** 242°  
**Melting Point:** N/A  
**Vapor Density :** N/A  
**Solubility In Water:** 99%  
**Storage Conditions:** Store tightly closed

### SECTION 4: FIRE AND EXPLOSION HAZARD DATA

**Flash Point:** Above 240°  
**Ignition Temperature:** N/A  
**Flammable Limits:** N/A

**Special Fire Fighting Procedure:** Full protective clothing and NIOSH-approved self-contained breathing apparatus should be worn. Use water to cool exposed containers

**Unusual Fire Explosion Hazards:** Emits Toxic fumes under fire conditions

**Extinguishing Media:** Use Dry Chemical, CO<sub>2</sub>, or Alcohol Foam

### SECTION 5: HEALTH HAZARD DATA

**Effects Of Over Exposure:** May be harmful by inhalation, ingestion, or skin absorption. Direct mist is irritating to the eyes, mucous membranes and upper respiratory tract. Prolonged contact can cause skin irritation.

**Primary Routes of Exposure:** Skin or eye contact, inhalation, or swallowing.

**Inhalation:** Excessive inhalation of high concentrations may cause headaches, vomiting, and coma.

**Eye Contact:** Liquid or mist directly in eyes will irritate the eyes.

**Skin Contact:** Prolonged or repeated contact may irritate the skin.

**Swallowing:** Swallowing large quantities causes headaches, nausea, vomiting, stomach cramps and diarrhea, in extreme cases perhaps unconsciousness.

**Chronic Effects of Exposure:** Prolonged or repeated exposure to high concentrations can produce severe or fatal CNS Depression.

**Medical Conditions Generally Aggravated By Exposure:** None in normal low level applications.

### SECTION 6: EMERGENCY AND FIRST AID PROCEDURES

<b>IF INHALED :</b>	Remove to fresh air. Give artificial respiration if not breathing. Get immediate medical attention.
<b>IN CASE OF EYE CONTACT:</b>	Immediately flush eyes with lots of running water for 15 minutes, if irritation persists get immediate medical attention.
<b>IN CASE OF SKIN CONTACT:</b>	Immediately wash skin with soap and water. If irritation persists get medical attention.
<b>IF SWALLOWED:</b>	If conscious, immediately induce vomiting by giving 2 glasses of water and sticking a finger down the throat. Get immediate medical attention. Do not give anything by mouth to an unconscious or convulsing person. Keep the victim's head below his hips while vomiting so he does not breathe the vomitus into his lungs.
<b>CARCINOGENICITY:</b>	This material is not considered to be a carcinogen by the national Toxicology Program, the international agency of research on cancer, or the Occupational Safety and Health Administration.

### SECTION 7: REACTIVITY DATA

<b>Stability:</b>	Stable
<b>Polymerization:</b>	Will not occur
<b>Conditions To Avoid:</b>	Heat, sparks, and open flames.
<b>Materials To Avoid</b>	Acids and oxidizing materials.
<b>Hazardous Decomposition Products:</b>	May liberate carbon monoxide or carbon dioxide

### SECTION 8: SPILL, LEAK, AND DISPOSAL INFORMATION

<b>Spill Or Leakage Procedures:</b>	Information provided here is in the event of a major spill of 55 gallons or more. Wear protective equipment including rubber boots, rubber gloves, rubber apron, and a self-contained breathing apparatus in the pressure demand mode or a supplied-air respirator. If the spill or leak is small, a full-face piece air-purifying cartridge respirator equipped for organic vapors may be satisfactory. In any event, always wear eye protection. For small spills or drips, mop or wipe up and dispose of in DOT-approved waste containers. For large spills, contain by diking with soil or other non-combustible absorbent materials, and then pump into DOT-approved waste containers, or absorb with non-combustible sorbent material, place residue in DOT-approved waste containers. Keep out of storm drains, surface waters, and soil.
<b>Disposal Methods:</b>	Comply with all applicable governmental regulations on spill reporting, and handling and disposal of waste. Dispose of contaminate product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate Federal, State and Local regulatory agencies to ascertain proper disposal procedures.

**NOTE:** Empty containers can have residues, gases and mists and are subject to proper waste disposal, as above.

### SECTION 9: SAFE HANDLING AND USE INFORMATION

<b>Respiratory Protection:</b>	None required under normal conditions of use. If risk of inhalation may occur, respiratory protective equipment must be selected and used in accordance with OSHA/NIOSH guidelines.
<b>Other Protective Equipment:</b>	Eye wash facility
<b>Storage and Handling:</b>	Maintain good housekeeping. Keep out of direct sunlight and in cool dry place. Store below 110°F(38°C) and above 32°F(0°C)
<b>Ventilation:</b>	General room ventilation.
<b>Respiratory Protection:</b>	For most conditions, no respiratory protection should be needed; however, if conditions warrant select in accordance with OSHA/NIOSH guidelines.
<b>Eye Protection:</b>	For most conditions none required; however if conditions of use are extreme and condition warrants wear goggles. It is general recognized that contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of an eye injury.
<b>Skin Protection:</b>	None required in normal use conditions; however if conditions of use warrant protection wear long sleeved shirt, trouser, safety shoes, and gloves.
<b>Hygienic Practices:</b>	Wash hands after handling, as well as any other affected skin areas. Avoid contact with food or food preparatory surfaces. If this occurs wash the area thoroughly with suitable detergent and water.

### SECTION 10: SPECIAL PRECAUTIONS

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:**

Maintain good housekeeping, avoid creating aerosols. For maintenance of product quality, store in dry cool (under 110°F) warehouse conditions. Store above 32°F.

**Repair And Maintenance Precautions:**

Do not cut, grind or weld on or near this container.

### SECTION 11: OTHER REGULATORY INFORMATION

*In response to Right to Know Laws:*

Chemical	CAS NO.	PERCENTAGE
Isopropyl Alcohol	[67-63-0]	< 10%

### KEEP OUT OF REACH OF CHILDREN

*Although the information and recommendations set forth in this sheet are believed to be correct as of the date hereof, Airmax®Ecosystems, Inc. makes no representation as to the completeness or accuracy of such information and recommendations. Airmax®Ecosystems, Inc. shall in no event be responsible for any damages of whatsoever nature directly or indirectly resulting from the publication or use of or reliance upon such information and recommendations. You are encouraged to advise anyone working with or exposed to such products of the information contained herein. No warranty, either express or implied, of merchantability or fitness or of any other nature with respect to the product or to the information and recommendations herein made hereunder.*