

FIELD STUDY REPORT



EnviroDEFENSE® SurfacePro RTU **Application: Industrial Flooring**

Airmax

Safe, Simple Solutions™



FIELD STUDY PARAMETERS

Product: EnviroDEFENSE® SurfacePro RTU

Test Type: Industrial Floor Cleaning Test

Test Site: Chemical Consumer Products Manufacturer Production Area.

Problem: Grease, Dirt & Grime Build-Up In Liquid Production Area

Date: Friday, June 20, 2011

Test Duration: 5 Minutes

Production Mixing Area Prior To Application

Area To Be Cleaned: Consists Of Grease, Dirt From Foot Traffic, Hydrocarbon Residue, Oil & Overfill From Various Chemicals.



Airmax

Safe, Simple Solutions[®]

Mop Application From Mop Bucket

4 oz. Of EnviroDEFENSE® SurfacePro RTU & 2 Gallons Of Water In A Mop Bucket Were Used For This Application. Standard Mopping For 2-3 Minutes Occurred.



Airmax

Safe, Simple Solutions™

Results From Mop Application

EnviroDEFENSE® SurfacePro RTU & 2 Gallons Of Water Cleaned An Area That Usually Took 2 Mopings With Standard Surfactant Cleaner & Water Mixture.



Airmax

Safe, Simple Solutions™



For More Information Call:

866-424-7629

www.envirodefenseproducts.com



Safe, Simple Solutions[®]